

Upgrade Guide

FOR ORF ENTERPRISE EDITION 3.0/3.0.1 USERS TO VERSION 4.0.2

■ What Is This Guide About?

This guide provides step-by-step instructions for upgrading from ORF Enterprise Edition 3.0/3.0.1 to ORF Enterprise Edition 4.0.2. You can also follow this guide when upgrading from ORF 2.x versions.

■ Preparing For The Upgrade

CREATING A CONFIGURATION BACKUP

Although ORF's configuration is automatically transferred to the new version, you may find it more secure to create a backup for the case if the upgrade fails. The configuration consists of the following files:

- aswl.abs
- dnscache.dat
- greylisting.abs
- orfeeadm.ini
- orfelogy.ini
- orfent.ini
- orfrep.ini
- orfestat.dat
- orfestts.dat
- plogrefs.dat

These files can be found on the program path (by default it is *Program Files\ORF Enterprise Edition*). Some files may not be present on your system or may be located in a different folder, depending on your settings.

The configuration files can be restored manually if the update fails.

PREPARING FOR THE SERVICE OUTAGE

The ORF update requires to restart the Microsoft IIS Administration Service and all dependent services, such as the World Wide Web, SMTP, FTP and Exchange services. The service restart is automatically performed by the Setup, but you may have to schedule the upgrade to the time when the service outage causes the least problems.

CLOSING RUNNING APPLICATIONS

Before starting the upgrade, **close the following programs** if they are running:

- ORF Administration Tool

- ORF Log Viewer
- ORF Reporting Tool
- Windows Event Log Viewer MMC
- Windows Services MMC

If any of these applications are running, the installation will fail. It is recommended to exit from all running applications before installing version 4.0.2 to avoid possible conflicts.

■ Upgrading To Version 4.0.2

STARTING THE UPDATE

Run the installer of version 4.0.2 (*orfee-4.0.2-registered.exe*).

You can install the new release safely on the top of 3.0.

UPDATE PROCESS

The update is guided by the Upgrade Setup. No special configuration is required at this point, the Setup asks for standard installation parameters, such as the program directory and menu shortcut creation.

AFTER THE UPDATE

Start the *ORF Administration Tool* and restore the SMTP Module Bindings on the **Configuration / Global / Server bindings** page and press CTRL-S to save the configuration. Now you can start the ORF Service (F11).

■ Technical Support

Please contact our technical support using contact options below. Using the news server we provide is recommended. We actively monitor the newsgroups and answer questions as soon as possible, but you may also get help from another ORF user.

Before contacting us, please check the product documentation and the ORF FAQ, you may find a quick answer for your question there.

Email: orf-support@vamsoft.com
News server: news.vamsoft.com
Phone: (+36) 1 279 2090
Fax: (+36) 1 279 1260
World Wide Web: <http://www.vamsoft.com/>
Postal Address: Vamsoft Ltd.
Budapest
Györök utca 11.
H-1113
HUNGARY